

OPTION 1

Enter keywords or phrases, select fields, and select operators

Help

in

All Fields

AND

in

All Fields

AND

in

All Fields

Run Search

Reset

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

OPTION 2

Enter keywords, phrases, or a Boolean expression

Help

(predetect OR predetector OR
predetection OR predetecting) AND radar

Run Search

Reset

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

Publications

- ☒ Select publications
- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IET Conference Proceedings
- ☒ IEEE Standards

Other Resources (Available for Purchase)

- ☒ IEEE Books
- ☒ Educational Courses

Standard Status

(Applies to IEEE Standards only)

Status

All

Select date range

- ☐ Search latest content update (07 Oct 2008)
- ☒ From year

All

to

Present

Display Format

- ☒ Citation
- ☐ Citation & Abstract

Organize results

Maximum

100

Display

25

 results per page


Sort by

Relevance

In

Descending

 order



IEEE Xplore®
Full Text & More

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

IEEE

Search Results

BROWSE | SEARCH | IEEE Xplore GUIDE | SUPPORT

Results for "(((predetect or predetector or predetection or predetecting) and radar)<in>metadata)"
Your search matched 17 of 1889847 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

New [Beta]
Application
Notes

GLOBAL SPEC

Search Options

[View Session History](#)

[New Search](#)

Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(((predetect or predetector or predetection or predetecting) and radar)<in>metadata)

Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/ET

Books

Educational Courses

Application Notes [Beta]

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#) [Select All](#) [Deselect All](#)

☐ **1. An adaptive algorithm for enhanced target detection for bistatic space-based radar**
McIntosh, J.C.; Clary, C.E.; Ray, L.;
[Radar Conference, 2001. Proceedings of the 2001 IEEE](#)
1-3 May 2001 Page(s):70 - 74
Digital Object Identifier 10.1109/NRC.2001.922954
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐ **2. Noise factor and antenna gains in the signal/noise equation for over-the-horizon radar**
Weiner, M.M.;
[Aerospace and Electronic Systems. IEEE Transactions on](#)
Volume 27, [Issue 6](#), Nov 1991 Page(s):886 - 890
Digital Object Identifier 10.1109/7.104252
[AbstractPlus](#) | Full Text: [PDF](#)(502 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐ **3. Waveform Diversity for Different Multistatic Radar Configurations**
Bradaric, I.; Capraro, G.T.; Wicks, M.C.;
[Signals, Systems and Computers, 2007. ACSSC 2007. Conference Record of the Forty-First Asilomar](#)
[Conference on](#)
4-7 Nov. 2007 Page(s):2038 - 2042
Digital Object Identifier 10.1109/ACSSC.2007.4487595
[AbstractPlus](#) | Full Text: [PDF](#)(1895 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐ **4. Performance analysis of GMSK frequency detection with decision feedback equalisation in digital land mobile radio**
Adachi, F.; Ohno, K.;
[Radar and Signal Processing, IEE Proceedings F](#)
Volume 135, [Issue 3](#), Jun 1988 Page(s):199 - 207
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) [IET JNL](#)

http://ieeexplore.ieee.org/search/searchresult.jsp?query...maxdoc=100&ResultCount=25&SortField=Score&SortOrder=desc (1 of 3)10/8/08 12:31:03 PM

☐

5. Predetection fusion: resolution cell grid effects
Rago, C.; Willett, P.; Alford, M.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume 35, [Issue 3](#), July 1999 Page(s):778 - 789
Digital Object Identifier 10.1109/7.784051
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1032 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

6. Optimum weighting functions for the detection of sampled signals in noise
Capon, J.;
[Information Theory, IEEE Transactions on](#)
Volume 10, [Issue 2](#), Apr 1964 Page(s):152 - 159
[AbstractPlus](#) | Full Text: [PDF](#)(1056 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

7. Effects of correlated fading on level crossing rates and average fade durations with predetection diversity reception
Adachi, F.; Feeney, M.T.; Parsons, J.D.;
[Radar and Signal Processing, IEE Proceedings F](#)
Volume 135, [Issue 1](#), Feb 1988 Page(s):11 - 17
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) [IET JNL](#)

☐

8. A Method for Radar Turbulence Detection
Atlas, D.; Srivastava, R.C.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume AES-7, [Issue 1](#), Jan. 1971 Page(s):179 - 187
Digital Object Identifier 10.1109/TAES.1971.310266
[AbstractPlus](#) | Full Text: [PDF](#)(2207 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

9. A Postdetection Method of Measuring Predetection RF Signal-to-Noise Ratio
Blake, L.V.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume AES-8, [Issue 2](#), March 1972 Page(s):168 - 173
Digital Object Identifier 10.1109/TAES.1972.309486
[AbstractPlus](#) | Full Text: [PDF](#)(2154 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

10. Inormation Theory and the Design of Radar Receivers
Woodward, P.M.;
[Proceedings of the IRE](#)
Volume 39, [Issue 12](#), Dec. 1951 Page(s):1521 - 1524
Digital Object Identifier 10.1109/JRPROC.1951.273638
[AbstractPlus](#) | Full Text: [PDF](#)(1036 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

11. Feature-level and decision-level fusion of noncoincidently sampled sensors for land mine detection
Gunatilaka, A.H.; Baertlein, B.A.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 23, [Issue 6](#), June 2001 Page(s):577 - 589
Digital Object Identifier 10.1109/34.927459
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(836 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

12. Linear diversity combining techniques
Brennan, D.G.;
[Proceedings of the IEEE](#)
Volume 91, [Issue 2](#), Feb 2003 Page(s):331 - 356
Digital Object Identifier 10.1109/JPROC.2002.808163
[AbstractPlus](#) | Full Text: [PDF](#)(1180 KB) | Full Text: [HTML](#) [IEEE JNL](#)
[Rights and Permissions](#)

☐

13. Multiple detection of a slowly fluctuating target (Corresp.)
Bar-David, I.;
[Information Theory, IEEE Transactions on](#)
Volume 31, [Issue 4](#), Jul 1985 Page(s):543 - 545
[AbstractPlus](#) | Full Text: [PDF](#)(392 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

14. Linear Diversity Combining Techniques
Brennan, D.G.;
[Proceedings of the IRE](#)
Volume 47, [Issue 6](#), June 1959 Page(s):1075 - 1102
Digital Object Identifier 10.1109/JRPROC.1959.287136
[AbstractPlus](#) | Full Text: [PDF](#)(9652 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

15. Analysis and Real Time Implementation of a Clutter Map CFAR Detector with Noncoherent Integration
Bencheikh, M. L.; Magaz, B.; Hamadouche, M.; Belouchrani, A.;
[Radar Symposium, 2006. IRS 2006. International](#)
24-26 May 2006 Page(s):1 - 4
Digital Object Identifier 10.1109/IRS.2006.4338107
[AbstractPlus](#) | Full Text: [PDF](#)(499 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐

16. Agile Digital Detector for RFI Mitigation
Sidharth Misra; Ruf, C.; De Roo, R.;
[IEEE MicroRad, 2006](#)
2006 Page(s):66 - 69
Digital Object Identifier 10.1109/MICRAD.2006.1677064
[AbstractPlus](#) | Full Text: [PDF](#)(258 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐

17. Detection of fluctuating pulsed signals in the presence of noise
Swerling, P.;
[Information Theory, IRE Transactions on](#)
Volume 3, [Issue 3](#), September 1957 Page(s):175 - 178
Digital Object Identifier 10.1109/TIT.1957.1057419
[AbstractPlus](#) | Full Text: [PDF](#)(511 KB) [IEEE JNL](#)
[Rights and Permissions](#)

IEEE Xplore[®]

RELEASE 2.5

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Session History

EDIT

BROWSE

SEARCH

IEEE Xplore GUIDE

SUPPORT

Wed, 8 Oct 2008, 12:31:13 PM EST

Search Query Display

Run Search

Reset

Recent Search Queries

Results

#1

(((predetect or predetector or predetection or predetecting) and radar)<in>metadata)

17

Clear Session History

• Add a query to the Search Query Display

• Combine search queries using AND, OR, or NOT

• Delete a search

• Run a search

Help

Contact Us

Privacy & Security

IEEE.org

powered by

Inspec[®]

© Copyright 2008 IEEE - All Rights Reserved

http://ieeexplore.ieee.org/search/history.jsp10/8/08 12:31:30 PM

IEEE Xplore®
Full Text & More

Home | Login | Logout | Access Information | Alerts | Purchase History | Cart | Sitemap | Help

Welcome United States Patent and Trademark Office

IEEE

Search Results

BROWSE | SEARCH | IEEE Xplore GUIDE | SUPPORT

Results for "(((predetect or predetector or predetection or predetecting) and (radar or interrogator or interroga...)"
Your search matched **18** of **1889847** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application
Notes

GLOBAL SPEC

Search Options

[View Session History](#)

[New Search](#)

Key

IEEE JNL

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IET CNF

IET Conference Proceeding

IEEE STD

IEEE Standard

Modify Search

(((predetect or predetector or predetection or predetecting) and (radar or interrogator or inte) [Search](#)

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE/ET

Books

Educational Courses

Application Notes [Beta]

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#) [Select All](#) [Deselect All](#)

☐ **1. An adaptive algorithm for enhanced target detection for bistatic space-based radar**
McIntosh, J.C.; Clary, C.E.; Ray, L.;
[Radar Conference, 2001. Proceedings of the 2001 IEEE](#)
1-3 May 2001 Page(s):70 - 74
Digital Object Identifier 10.1109/NRC.2001.922954
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐ **2. Noise factor and antenna gains in the signal/noise equation for over-the-horizon radar**
Weiner, M.M.;
[Aerospace and Electronic Systems. IEEE Transactions on](#)
Volume 27, [Issue 6](#), Nov 1991 Page(s):886 - 890
Digital Object Identifier 10.1109/7.104252
[AbstractPlus](#) | Full Text: [PDF](#)(502 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐ **3. Waveform Diversity for Different Multistatic Radar Configurations**
Bradaric, I.; Capraro, G.T.; Wicks, M.C.;
[Signals, Systems and Computers, 2007. ACSSC 2007. Conference Record of the Forty-First Asilomar](#)
[Conference on](#)
4-7 Nov. 2007 Page(s):2038 - 2042
Digital Object Identifier 10.1109/ACSSC.2007.4487595
[AbstractPlus](#) | Full Text: [PDF](#)(1895 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐ **4. Performance analysis of GMSK frequency detection with decision feedback equalisation in digital land mobile radio**
Adachi, F.; Ohno, K.;
[Radar and Signal Processing, IEE Proceedings F](#)
Volume 135, [Issue 3](#), Jun 1988 Page(s):199 - 207
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) [IET JNL](#)

http://ieeexplore.ieee.org/search/searchresult.jsp?query...maxdoc=100&ResultCount=25&SortField=Score&SortOrder=desc (1 of 4)10/8/08 12:32:28 PM

☐

5. Predetection fusion: resolution cell grid effects
Rago, C.; Willett, P.; Alford, M.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume 35, [Issue 3](#), July 1999 Page(s):778 - 789
Digital Object Identifier 10.1109/7.784051
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1032 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

6. Optimum weighting functions for the detection of sampled signals in noise
Capon, J.;
[Information Theory, IEEE Transactions on](#)
Volume 10, [Issue 2](#), Apr 1964 Page(s):152 - 159
[AbstractPlus](#) | Full Text: [PDF](#)(1056 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

7. Effects of correlated fading on level crossing rates and average fade durations with predetection diversity reception
Adachi, F.; Feeney, M.T.; Parsons, J.D.;
[Radar and Signal Processing, IEE Proceedings F](#)
Volume 135, [Issue 1](#), Feb 1988 Page(s):11 - 17
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) [IET JNL](#)

☐

8. A Method for Radar Turbulence Detection
Atlas, D.; Srivastava, R.C.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume AES-7, [Issue 1](#), Jan. 1971 Page(s):179 - 187
Digital Object Identifier 10.1109/TAES.1971.310266
[AbstractPlus](#) | Full Text: [PDF](#)(2207 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

9. A Postdetection Method of Measuring Predetection RF Signal-to-Noise Ratio
Blake, L.V.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
Volume AES-8, [Issue 2](#), March 1972 Page(s):168 - 173
Digital Object Identifier 10.1109/TAES.1972.309486
[AbstractPlus](#) | Full Text: [PDF](#)(2154 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

10. Inormation Theory and the Design of Radar Receivers
Woodward, P.M.;
[Proceedings of the IRE](#)
Volume 39, [Issue 12](#), Dec. 1951 Page(s):1521 - 1524
Digital Object Identifier 10.1109/JRPROC.1951.273638
[AbstractPlus](#) | Full Text: [PDF](#)(1036 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

11. Feature-level and decision-level fusion of noncoincidently sampled sensors for land mine detection
Gunatilaka, A.H.; Baertlein, B.A.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 23, [Issue 6](#), June 2001 Page(s):577 - 589
Digital Object Identifier 10.1109/34.927459
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(836 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

12. Linear diversity combining techniques
Brennan, D.G.;
[Proceedings of the IEEE](#)
Volume 91, [Issue 2](#), Feb 2003 Page(s):331 - 356
Digital Object Identifier 10.1109/JPROC.2002.808163
[AbstractPlus](#) | Full Text: [PDF](#)(1180 KB) | Full Text: [HTML](#) [IEEE JNL](#)
[Rights and Permissions](#)

☐

13. Multiple detection of a slowly fluctuating target (Corresp.)
Bar-David, I.;
[Information Theory, IEEE Transactions on](#)
Volume 31, [Issue 4](#), Jul 1985 Page(s):543 - 545
[AbstractPlus](#) | Full Text: [PDF](#)(392 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

14. Filter Distortion and Intersymbol Interference Effects on PSK Signals
Jones, J.;
[Communication Technology, IEEE Transactions on](#)
Volume 19, [Issue 2](#), April 1971 Page(s):120 - 132
Digital Object Identifier 10.1109/TCOM.1971.1090633
[AbstractPlus](#) | Full Text: [PDF](#)(1164 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

15. Linear Diversity Combining Techniques
Brennan, D.G.;
[Proceedings of the IRE](#)
Volume 47, [Issue 6](#), June 1959 Page(s):1075 - 1102
Digital Object Identifier 10.1109/JRPROC.1959.287136
[AbstractPlus](#) | Full Text: [PDF](#)(9652 KB) [IEEE JNL](#)
[Rights and Permissions](#)

☐

16. Analysis and Real Time Implementation of a Clutter Map CFAR Detector with Noncoherent Integration
Bencheikh, M. L.; Magaz, B.; Hamadouche, M.; Belouchrani, A.;
[Radar Symposium, 2006. IRS 2006. International](#)
24-26 May 2006 Page(s):1 - 4
Digital Object Identifier 10.1109/IRS.2006.4338107
[AbstractPlus](#) | Full Text: [PDF](#)(499 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐

17. Agile Digital Detector for RFI Mitigation
Sidharth Misra; Ruf, C.; De Roo, R.;
[IEEE MicroRad, 2006](#)
2006 Page(s):66 - 69
Digital Object Identifier 10.1109/MICRAD.2006.1677064
[AbstractPlus](#) | Full Text: [PDF](#)(258 KB) [IEEE CNF](#)
[Rights and Permissions](#)

☐

18. Detection of fluctuating pulsed signals in the presence of noise
Swerling, P.;
[Information Theory, IRE Transactions on](#)
Volume 3, [Issue 3](#), September 1957 Page(s):175 - 178
Digital Object Identifier 10.1109/TIT.1957.1057419
[AbstractPlus](#) | Full Text: [PDF](#)(511 KB) [IEEE JNL](#)
[Rights and Permissions](#)

